



Company for float
No. 1 Development



Innovative Fishing Floats

2012

www.cralusso.com



Károly Králik, leader of Cralusso

When I decided to launch the company Cralusso, I was very aware that I did not just want to produce floats that were amendments and variations of those already available. I knew that I had to think and work in different ways to the norm - "thinking outside the box" if you like - only that would lead to really new designs and true innovation.

I did not want to create just floats but solutions that made easier and more efficient the catching of fish. In the last six years, thanks to these revolutionary designs and solutions, Cralusso has become the leading float developer in the angling industry.

Our products have been successful not only among recreational anglers but at the very highest level of the sport! Top anglers the world over have used our floats to win many high profile competitions.

Main milestones:

- 2002: Launch Cralusso
- 2003: World Championship - Torpedo
- 2005: European Championship - Torpedo
- 2006: Innovation Expo, GENIUS award
- 2007: U.S. Open – Golf and Bubble
- 2008: European Championship - Torpedo
- 2008: U.S. Open - Shark
- 2008: Hungarian National Championship - Shark
- 2009: Best Stand award
- 2010: Sponsorship at Poznan World Cup



In 2009 Cralusso won the prize of „**Best Stand**“ under the 30 m² category on the EFTTEX International Fishing Show!



CRALUSSO

The very best choice for professional and recreational anglers alike



3
Year
Guarantee

Code: 1000

A new hydrodynamic form developed by Cralusso, the body does not lift out the water when held back. This float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits. It is so good and reliable that it has become the number one choice of flat float for anglers of all abilities including a few world champions!

Some quotations about the Torpedo:

Alan Scotthorne: "The best flat float I've ever used"
Angling Times, May 10 2005.

Bob Nudd: "It will add a new dimension to your polefishing" Angling Times 31 May 2005



Sizes: 0.5 - 0.75 - 1.0 - 1.5 - 2.0 - 3.0 - 4.0 - 5.0 gr

Code: 1001

TORPEDO Tuning




As with the Torpedo, this float is for use on the pole and is ideal for use in medium or strong flow when you wish to present static or slow moving baits.

Sizes: 6 - 8 - 10 - 12 - 15 - 20 - 25 - 30 - 40 - 50 gr



With recommendation of Tibor Ambrus, world champion





Code: 1003

A river float designed for use on the pole but has found favour with many anglers on the running line. It is ideal for running through the swim at variable speed. The Bubble was introduced in 2005 Madunice European Championship.

The winner of U.S. Open in 2007 and 2008!

Variable antenna 1-5 gr 2 pcs
 Variable antenna 6-20 gr 5 pcs
 Waterproof polyurethane body
 Floats can be changed without dismantling the rig

Sizes:

1 - 1,5 - 2 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 15 - 20 gr

The next step of success!
 József Papp won the 2008 U.S. open using
 a Cralusso Bubble



Functions of two floats in one 2 in1


Code: 1004

- ① You should use the first antenna position when you are holding the float back hard or even lightly.
- ② You should use the second antenna position when you want the float running through the swim


Sizes:
 1 - 1,5 - 2 - 3 - 4 - 5 - 6
 8 - 10 - 12 - 15 - 20 gr

Shark, the brand new flat float was developed using many years of experience in float design and was in response to the demand from professional anglers. Used primarily for pole fishing the float can present baits in many ways. The antenna position can be changed according to your technique – whether this is holding back hard or running the float through the swim.

When the current is strong or you are holding back hard use the first bristle position. When the flow is slower or you want to run the float through the swim the second bristle position is recommended.
 The streamline hump on top of the float – the sharks fin – aids stability and sensitivity – even the smallest of bites can be seen clearly.



The introduction of the Shark was at the Hungarian National Championship in 2008, where Tibor Ambrus, one of the leaders of the Tubertini-MarosMix-Cralusso group won the competition using this new float.



**1 Year
Guarantee**

RAY

Code: 1027

This hard-wearing polyurethane disc float developed by Cralusso can take the place of traditional balsa models, that can be damaged easily.



Sizes:

1 - 1,5 - 2 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 15 - 20 gr

A river float for use Bolognese rods and any running line set up. The design allows you to hold the float back without it drifting in across the flow. You can vary the speed of travel easily, but in sufficient flow and by holding back hard it is possible to lead the Bolo out from the bank toward features, cover or your feed line. You can effectively position the float before letting it run through the swim.



Surf

Code: 1002

A special river float for use with rod and reel set ups that can be held back hard without drifting in across the flow. The direction and speed can be changed easily offering perfect and accurate presentation. Ideal for medium and strongly currents although it can be used on still water for predator fishing when you wish to work a baitfish parallel to the bank.



Sizes:

3 - 4 - 6 - 8 - 10 - 12 - 15 - 20 gr

Bolo

Code: 1005



PUR

Sizes:

3 - 4 - 6 - 8 - 10 - 12
15 - 20 gr



1
Year
Guarantee

Revolutionary new wagller designs from Cralusso

ROCKET

We developed the Rocket for long, accurate, straight casting. The Rocket has unique features that enable it to fly much better than traditional waggler floats - even those with flights


Code: 1006

1



The critical element of the Rocket design is the special attachment system. This ensures the optimum position of the float and the terminal tackle it is 'towing' during flight – thus ensuring maximum distance and accuracy is achieved.

When you use this floats after casting you should hold back the float before it falls down into the water to eliminate the possibility of tangles.



Thanks to the versatile and adaptable antenna system, twenty Cralusso sight tips can be used with this float. Three tips are contained in each pack.

The stem of the float is made from a material that is very strong and will remain straight without becoming twisted or curved.


The calibration system helps quick, simple and accurate adjustments. with 0,05 gr graduations being possible

The aerodynamics are improved with surface indentations (as on a golf ball) which reduces air resistance and increases stability.

2



3





PUR

| Size gr | Changeable weight |
|---------|-------------------|
| 6 | 2,0 gr |
| 8 | 2,5 gr |
| 10 | 3,0 gr |
| 12 | 3,0 gr |
| 14 | 3,0 gr |
| 16 | 3,5 gr |
| 18 | 3,5 gr |
| 20 | 3,5 gr |

Recommended float adaptors:
Anti tangle wagller attachment
Size: Small, Medium
Code: 2006

How to use this attachment?





Code: 1007

The UFO waggler is attached in the traditional way but the design incorporates several innovative features.

1 2 3 4

The polyurethane body is not sensitive to surface damage and will not allow water ingress. The UFO is a versatile waggler for both pleasure and match anglers alike.

| Size gr | Changeable weight |
|---------|-------------------|
| 6 | 2,5 gr |
| 8 | 3,0 gr |
| 10 | 3,0 gr |
| 12 | 3,0 gr |
| 14 | 3,5 gr |
| 16 | 3,5 gr |
| 18 | 4,5 gr |
| 20 | 5,5 gr |



Recommended float adaptors

Waggler Attachment Light: 2005

Brass Head Safety Snap: 2122

Plastic head swivel with interlock snap: 2123



Code: 1014



This model – Rocket Light – has an extraordinary flying ability. While retaining incredible accuracy it is possible, because of the attachment system, to cast 20-30% longer distances than with traditional floats.

| Size gr | Changeable weight |
|---------|-------------------|
| 1,5 | 1,0 gr |
| 2,0 | 1,0 gr |
| 2,5 | 1,0 gr |
| 3,0 | 1,0 gr |
| 4,0 | 1,0 gr |
| 5,0 | 1,0 gr |
| 6,0 | 1,0 gr |
| 7,0 | 1,0 gr |
| 8,0 | 1,0 gr |



1

Thanks to the versatile and adaptable antenna system, twenty Cralusso sight tips can be used with this float. Three tips are contained in each pack.

2

The stem of the float is made from a material that is very strong and will remain straight without becoming twisted or curved.

3

The calibration system helps quick, simple and accurate adjustments, with 0,05 gr graduations being possible

PUR

4

The aerodynamics are improved with surface indentations (as on a golf ball) which reduces air resistance and increases stability.



Recommended float adaptors:


Anti tangle waggler attachment

Size: Small

Code: 2006

The tube is made of a special plastic, is made for hard work and a long life and does not bend or warp. The float is ideal for many methods but particularly good in shallow and/or clear waters.



Velence

Code: 1009

Sizes: 5 - 7 - 9 - 11 gr



Variable antenna 3 pcs

*Sensitive*

Code: 1010

Sizes: 5 - 7 - 9 - 11 gr



Variable antenna 2 pcs

| Type | Distance of Casting | Changeable weight |
|---------------------------------|---------------------|-------------------|
| Velence 5-11 gr | 35-60 m | 1,0-2,5 gr |
| Rocket 6-20 gr | 40-85 m | 2,0-3,5 gr |
| Rocket light 1,5-8 gr | 20-60 m | + 1,0 gr |
| Dart 6-20 gr | 35-65 m | 2,5-5,5 gr |
| Sensitive 5-11 gr | 35-55 m | 1,5-3,0 gr |
| Ufo 6-20 gr | 30-50 m | 2,5-5,5 gr |

The advantage of these floats is the excellent sensitivity! The Velence and the Sensitive incorporate all of Cralusso's new technical solutions




DART

Code: 1008



| Size gr | Changeable weight |
|---------|-------------------|
| 6 | 2,5 gr |
| 8 | 3,0 gr |
| 10 | 3,0 gr |
| 12 | 3,0 gr |
| 14 | 3,5 gr |
| 16 | 3,5 gr |
| 18 | 4,5 gr |
| 20 | 5,5 gr |



The concept is the same as that found in the UFO waggler but in addition to the other latest developments this version incorporates a flight.

1 2 3

The body is made of polyurethane, which is not sensitive to surface damage. The Dart is a very versatile float, which is a suitable for both pleasure and match anglers alike.

Recommended float adaptors:

Waggler Attachment Light: 2005

Brass Head Safety Snap: 2122

Plastic head swivel with interlock snap: 2123

ARROW waggle

Code: 1040

Incorporates a removable brass disc weight system and, of course, all the usual Cralusso innovative features

1 2 3 4


With this float we wanted to bring all the features together to create the No.1 very best possible waggler.

The ARROW waggler ensures an aerodynamic flight, high levels of sensitivity and offers a multifunctional, easy to use float. The longer stem offers the following advantages:

- Generates extraordinary stability and distance in flight
- The body and main weight of the float sits deep in the water and it is therefore less influenced by wind and surface skim
- The long float aids the important task of getting your line deep in the water


Transportation of the long float is not difficult as the stem and body can be separated. This allows the carrying of made up rods where required with no risk of float damage.

| Size gr | Changeable weight |
|---------|-------------------|
| 8 | 3,0 gr |
| 10 | 4,0 gr |
| 12 | 5,0 gr |
| 14 | 6,0 gr |
| 16 | 7,0 gr |
| 18 | 8,5 gr |



zeroSlider

This float is a new generation Slider with unique design elements and construction



- 0 gramm is incorporated in the body. This ensures you can use maximum weight down the line and, when necessary, smaller floats can be used.
- It has an outstanding flying ability thanks to the Z shaped line stop system.
- Big casts and efficient fishing are easy with this radical design – problems associated with traditional floats are overcome
- It has the advantages of the brand new development of Cralusso wagglers floats. (See: 6. page: 1-2-3)

Before casting the float slides down the line to the bulk weight (Cralusso globular weight is suitable – code 3001) and this maintains the distance between float and hooklink.

When the float is in flight the angle of line changes. The special 'Z' fixing system ensures the float is trapped immediately behind the bulk weight. It cannot fly back up the line so good aerodynamics are maintained allowing better distance and accuracy.

When the float lands on the water the angle of line changes again allowing the weight to pull line through the float freely until the bait is positioned perfectly.


zeroSlider

= With this slider it is possible to fish further (10-20%) with less tangles and generally more successfully



Sizes: 8 - 10 - 12 - 14 - 16 gr

Removable head!





Pellet

This near indestructible float has been made for the ever more popular method of pellet wagglers fishing. Being short it can be used successfully when fishing shallow and presenting baits deeper is no problem. You can fish precisely with different sizes and weights of pellet by making adjustments to the capacity of the float using the calibration system.

PUR

Sizes:
S - M - L

Code: 1011



Code: 1028

Unweighted slider floats

CRALUSSO®

Code: 1029



Code: 1030



Rocket Pellet

Code: 1012


This float incorporates all the advantages of the pellet float but also utilises the rocket system.

Normal pellet waggler are hampered in flight because the float is trying to tow a big bait. Aerodynamics, distance and accuracy are therefore adversely affected.

The Rocket Pellet overcomes all these problems and is the perfect solution – even with heavy reel lines it can cast long distances and is very accurate.

PUR

Sizes:
S - M - L



Sizes:
3-4-5-6-8 gr



Sizes:
3-4-5-6-8 gr

Sizes:
3-4-5-6-8 gr



CONTROL MATCH

Code: 1023

Cralusso's newest development is a perfect solution for the problems of many anglers. We have used the very popular calibration system from our bodied waggler and have also managed to incorporate this system into our revolutionary new straight waggler. The slim body creates a very sensitive float and the calibration system makes very fast and accurate adjustment possible.

**CONTROL MATCH with dart**

Code: 1024

The construction of this float is the same as the "Control Match", but we incorporated dart flights into the stem to allow even better flight. The antenna are inter-changeable.

Sizes:

You can adjust the 3-4-5 gr float's loading capacity between 0 and +1,2 gr.
You can adjust the 6-7-8-10 gr float's loading capacity between 0 and +1,5 gr

**PRO MATCH**

Code: 1025



"Pro Match" floats contain all the useful developments that make the 'Control' version unique. As we have used brass removable heads, it is possible for finer adjustments to be made and for the carrying capacity to be increased still further. It is possible to make very quick, accurate and repeated adjustments by pushing in, or pulling out, the upper, thinner stem from the body of the float.



By sliding the tube to calibrate the float you can minutely adjust the weighting.

**PRO MATCH with dart**


Code: 1026



The adjustable capacity of the 4 gr float is: between 0 and +2,5 gr
The 5 gr and 6 gr float is: between 0 and +3,0 gr
The 7 gr and 8 gr float is: between 0 and +3,5 gr



Reliable floats- even in extreme conditions




When we were creating the traditional type of tear drop floats it was our intention, as is always the company policy, to place the emphasis on making each model easy to use, infinitely variable and long lasting. The design allows all of the components, including the bristles, to be freely interchanged thus allowing numerous combinations to be achieved. The floats are available with carbon stems or a near transparent fibre glass stem that is less visible in water.



The special dimpled surface of this Golf float, which reduces water tension affects, makes it an ideal choice for use on rivers, moving canals and choppy lakes.

Sizes: 1 - 1.5 - 2 - 3 - 4
5 - 6 - 8 - 10 - 12

They are well constructed and very strong. Bristles are interchangeable so you can make rigs that perform well for delicate presentation or dealing with big weights of fish.




Components of the tear drop floats are all interchangeable and they can be assembled in a number of ways to suit your own requirements only your imagination could limit the number of variations.



Universal shape which is ideal for both rivers and still waters. The protective plastic tube through the float is very hard wearing and makes the float virtually indestructible highly recommended when fishing for carp on the pole.

Sizes: 0,5 - 0,75 - 1
1,5 - 2 - 3 - 4 - 5 - 6



Code: 1050
(fibr. Glass,
fixed antenna)

Code: 1051
(carbon, fixed
antenna)

Sting



Our new pole float has a 3D and extremely streamlined shape resulting in exceptional sensitivity and stability.

A hollow, and therefore buoyant, bristle is incorporated in this multifunctional float.

It was decided not to use a side eye as these create an inherently weak point but instead of this to utilise a neat silicone sleeve at the base of the antennae

The body is polyurethane, virtually indestructible and will not absorb water even if you do manage to damage it!

Sites: 0.5, 0.75, 1, 0.1, 2.5, 1.5, 2.0, 5.0

Sizes: 0,5-0,75-1,0-1,25-1,5-2,0 gr

They can be set up with the line through the body or externally





| Code | Weight gr | Antenna | Stem | Body mat. | Pcs/bag |
|------|---|-------------|-------------|-----------|---------|
| 1031 | 1-1,5-2-2,5-3 | plastic | metal | balsa | 5 |
| 1032 | 0,5-0,75-1-1,5-2-2,5-3 | bamboo | metal | balsa | 5 |
| 1033 | 0,5-0,75-1-1,25-1,5-1,75-2-2,5-3 | plastic | metal | balsa | 5 |
| 1034 | 0,25-0,5-0,75-1-1,25-1,5-1,75-2 | fibre glass | metal | balsa | 5 |
| 1035 | 0,25-0,5-0,75-1-1,25-1,5-1,75-2-2,5-3-4-5-6 | fibre glass | fibre glass | balsa | 5 |
| 1036 | 0,25-0,5-0,75-1-1,25-1,5-1,75-2-2,5-3 | fibre glass | fibre glass | balsa | 5 |
| 1037 | 0,5-0,75-1-1,25-1,5-1,75-2-2,5-3 | plastic | fibre glass | balsa | 5 |
| 1038 | 0,25-0,5-0,75-1-1,25-1,5-1,75-2-2,5-3 | fibre glass | fibre glass | balsa | 5 |

Carp Series



| Code | Weight gr | Antenna | Stem | Body mat. | Pcs/bag |
|------|------------------------|----------|--------|-----------|---------|
| 1070 | 0,2-0,3-0,5-0,75-1-1,5 | variable | carbon | pur | 5 |
| 1071 | 0,2-0,4-0,6-0,8-1,0 | fix | carbon | balsa | 5 |
| 1072 | 0,3-0,5-0,8-1,0 | fix | carbon | balsa | 5 |
| 1073 | 0,2-0,4-0,6-0,8-1,0 | fix | carbon | balsa | 5 |



Float with balsa



| Code | Weight gr | Antenna | Stem | Body mat. | Pcs/bag |
|------|---------------------------------|-------------|-------------|-----------|---------|
| 1041 | 1-1,5-2-3-4-5-6 | plastic | fibre glass | balsa | 5 |
| 1042 | 0,5-0,75-1-1,5-2-2,5-3-4-5 | plastic | fibre glass | balsa | 5 |
| 1043 | 0,5-0,75-1-1,5-2-2,5-3 | plastic | fibre glass | balsa | 5 |
| 1044 | 0,3-0,5-0,75-1-1,25-1,5-2-2,5-3 | fibre glass | fibre glass | balsa | 5 |
| 1045 | 0,5-0,75-1-1,25-1,5-2-2,5-3 | hollow | carbon | balsa | 5 |
| 1046 | 0,4-0,6-0,8-1-1,25-1,5-2 | hollow | carbon | balsa | 5 |
| 1047 | 0,2-0,4-0,6-0,8-1-1,25-1,5-2 | fibre glass | carbon | balsa | 5 |
| 1048 | 0,4-0,6-0,8-1-1,25-1,5-2 | fibre glass | carbon | balsa | 5 |

Float with balsa antenna



| Code | Weight gr | Antenna | Stem | Body mat. | Pcs/bag |
|------|-------------------------------|---------|--------------------|-----------|---------|
| 1060 | 1-2-3-4-5-6-8 | balsa | fibre glass | balsa | 5 |
| 1061 | 0,2-0,4-0,6-0,8-1-1,5-2-2,5-3 | balsa | fibre glass | balsa | 5 |
| 1062 | 0,6-1-1,25-1,5-2-2,5 | balsa | steel | balsa | 5 |
| 1063 | 0,5-0,75-1-1,5-2-3-4-5 | balsa | fibre glass | balsa | 5 |
| 1064 | 1-1,5-2-2,5-3 | balsa | fixed in one point | balsa | 5 |
| 1065 | 0,6-1-1,25-1,5 | balsa | fixed in one point | balsa | 5 |

Balsa float with changeable star light antenna

BALSA




| Code | Weight gr | Antenna | Stem | Body mat. | Pcs/bag |
|------|--------------------------|---------|-------------|-----------|---------|
| 1201 | 1-1,5-2-2,5-3-4-5-6-8-10 | plastic | fibre glass | balsa | 5 |
| 1202 | 1-1,5-2-2,5-3-4-5-6-8-10 | plastic | fibre glass | balsa | 5 |
| 1203 | 1-1,5-2-2,5-3-4-5 | plastic | fibre glass | balsa | 5 |
| 1204 | 1-1,5-2-2,5-3-4-5 | plastic | fibre glass | balsa | 5 |
| 1205 | 2-3-4-5-6-8-10 | plastic | fibre glass | balsa | 5 |
| 1206 | 1-1,5-2-2,5-3-4-5-6-8-10 | plastic | fibre glass | balsa | 5 |
| 1207 | 1-2-3-4-5-6 | plastic | fibre glass | balsa | 5 |
| 1208 | 2-2,5-3-4-5-6-8 | plastic | fibre glass | balsa | 5 |

Diving floats

NEW

1310

1 pc/bag



Starlight holding predator floats

BALSA

1301

1302

Sizes:
15-25-30-40 grSizes:
10-15-20-25-30-40 gr

Packing of above mentioned (1201-1208 és 1301-1302) model: 5 pcs/bag

Mixed floats in one bag

Balsa floats - practical mixed packages



1038-mix

Livia Tear drop float with
fibr glass stem Mix (Balsa)
Sizes: 0,5-1-1,5-2-3 gr

1045-mix

Martin Tear drop float
carbon stem Mix (Balsa)
Sizes: 0,75-1-1,25-1,5-2 gr



1043-mix

Milan Tear drop float
with fibr glass stem Mix
(Balsa)
Sizes: 0,5-0,75-1-1,5-2 gr



1047-mix

Victor Tear drop float
carbon stem Mix (Balsa)
Sizes: 0,4-0,6-1-1,5-2 gr



1061-mix

Genetic Tear drop
float fibr glass stem Mix
(Balsa)
Sizes: 0,6-0,8-1-1,25-1,5 gr

1207-mix

Starlight holding
Balsa float Mix (Balsa)
Sizes: 1-2-3-4-5 gr


Attachments



Dart antenna set
(3 Pcs/bag)

2002

High visibility
hollow antenna that
aids float flight.
0,6 gr sensitivity



Hollow
antenna set
(6 Pcs/bag)

2003

Sensitive,
highly visible
hollow antenna
with 0,3 gr
sensitivity



2001

It can be used for both
Cralusso Wagller and
polyurethane tear
drop floats.

Wagller float stem
range (3 Pcs/bag)



calibr

0,1 0,2 0,3 0,4 0,5 0,6 0,7 0,8 0,9 1,0 gr

calibr

0,1 0,2 0,3 0,4 0,5 0,6 0,7 0,8 0,9 1,0 gr

calibr

0,1 0,2 0,3 0,4 0,5 0,6 0,7 0,8 0,9 1,0 gr

2004



2011

Universal
star light
holder
4,5 mm-es
(3 pcs/bag)

DIY floats
(8 Pcs/bag)



calibr

0,1 0,2 0,3 0,4 0,5 0,6 0,7 0,8 0,9 1,0 gr

calibr

0,1 0,2 0,3 0,4 0,5 0,6 0,7 0,8 0,9 1,0 gr

calibr

0,1 0,2 0,3 0,4 0,5 0,6 0,7 0,8 0,9 1,0 gr

2010

Wagller attachment Light (Fixed)

A sure and safe float fixing that allows quick changes. Tangles and knots are reduced because of the built in big load bearing swivel. The attachment is very light as carbon is used in the manufacture. We offer the small Wagller attachment for 8-10 gr floats, and the medium attachment for floats above 10 gr.

| Size | Code | Weight | Pcs/bag |
|--------|------|---------|---------|
| Small | 2005 | 0,22 gr | 3 pcs |
| Medium | 2005 | 0,35 gr | 3 pcs |




Anti tangle wagller attachment (Fixed)

Cralusso's own development! The success of the anti-tangle wagller attachment lies in the asymmetric design which allows the device to keep the line away from the float and so greatly reduce the possibility of tangles and knots.

| Size | Code | Weight | Pcs/bag |
|--------|------|---------|---------|
| Small | 2006 | 0,30 gr | 3 pcs |
| Medium | 2006 | 0,45 gr | 3 pcs |

How to
use this
attachment?




The short stem
faces toward the rod.
The long stem faces
toward the hook

When in the water it takes an ideal position.



Olive rubber stopper
2008

| Size | Pcs/bag |
|------|---------|
| S | 9 db |
| M | 9 db |
| L | 9 db |



Adjustable float-holding roll


2032 S



2032 M



Float adaptors
For tear drop floats
2007



| Size | Weight | Pcs/bag |
|--------|--------|---------|
| Medium | 0,1 gr | 4 pcs |

Adjustable roll-length



Line marker

2056

2055

2057


Fishing line winder **NEW**

2059







Silicon tubes 2009



Silicon tubes mixed 2009-mix




Variable size bait bands 2020



Pellet ring 2015


Sizes: S-M-L



Pellet ring mixed 2021-mix



Flare rubber thorn 2012-mix



Bait holder 2025

Sizes: S-L



Float fixing set 2014-mix



Pellet stopper kit hard 2026



PRESTIGE LINE

Cralusso lines = Cralusso quality!

"PRESTIGE" fishing line – as the name implies, this range will satisfy the highest demands of the modern angler. We believe different disciplines of fishing require a line specifically designed for the purpose and that each must possess the correct properties for its intended use. As such, we have developed and tested the lines over a period of some years and are certain we are now offering a selection of the very best available at a truly competitive price.

GENERAL Match

2060



A very reliable line with high tensile strength
Excellent UV and abrasion resistance with silky smooth surface Specially recommended for general use and rig making

| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 150 | 0,12 | 2,24 |
| 150 | 0,14 | 2,75 |
| 150 | 0,16 | 3,46 |
| 150 | 0,18 | 4,14 |
| 150 | 0,20 | 5,12 |
| 150 | 0,22 | 6,54 |
| 150 | 0,25 | 8,19 |
| 150 | 0,30 | 11,22 |
| 150 | 0,35 | 15,49 |

Hooklength Line Soft & Strong

2061



Great attention to detail has been paid to ensure this line has the optimal relationship between strength and suppleness.
It is reliable, strong and resistant to twist and tangles.

| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 50 | 0,088 | 1,18 |
| 50 | 0,102 | 1,57 |
| 50 | 0,123 | 2,34 |
| 50 | 0,143 | 3,07 |
| 50 | 0,160 | 3,84 |
| 50 | 0,178 | 4,61 |
| 50 | 0,201 | 5,71 |

Match Sinking

2062



This new generation sinking line has been developed specifically for waggler fishing. It possesses qualities of high abrasion resistance and extremely low surface friction which enables easy casting and creates fast sink rates

| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 150 | 0,14 | 2,21 |
| 150 | 0,16 | 2,77 |
| 150 | 0,18 | 3,31 |
| 150 | 0,20 | 4,10 |
| 150 | 0,23 | 5,23 |

FEEDER Energy

2063



CARPower

2064



This line is recommended for feeder fishing. It is very resilient and has a medium sink rate. The super low friction surface ensures fast movement through the water and positive contact with the fish

| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 150 | 0,18 | 4,4 |
| 150 | 0,20 | 5,5 |
| 150 | 0,22 | 6,9 |
| 150 | 0,25 | 8,6 |
| 150 | 0,30 | 11,8 |

A line designed to suit the high demands of Carp anglers. It has qualities of high abrasion resistance and very low surface friction that assists with long range casting and minimises damage. It also ensures fast movement through the water and positive contact with the fish

| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 350 | 0,25 | 6,56 |
| 350 | 0,30 | 7,70 |
| 350 | 0,36 | 12,38 |




Cralusso lines = Cralusso quality!

P
PRESTIGE LINE

FLUO LINE

2065

2066




150 m 350 m



BRAID LINE

2067




A reliable fishing line with high tensile strength. UV and abrasion resistant. The extraordinary smooth surface ensures effortless long range casting.

| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 150 | 0,18 | 4,4 |
| 150 | 0,20 | 5,5 |
| 150 | 0,22 | 6,9 |
| 150 | 0,25 | 8,6 |
| 150 | 0,30 | 11,8 |

| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 350 | 0,18 | 4,4 |
| 350 | 0,20 | 5,5 |
| 350 | 0,22 | 6,9 |
| 350 | 0,25 | 8,6 |
| 350 | 0,30 | 11,8 |

Universal braid with high levels of tensile strength and an abrasion resistant surface. The Dyneema material resists water absorption and provides an extra level of protection and durability.

| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 150 | 0,12 | 11,20 |
| 150 | 0,14 | 12,80 |
| 150 | 0,16 | 14,40 |
| 150 | 0,18 | 16,80 |
| 150 | 0,20 | 19,04 |
| 150 | 0,22 | 24,48 |
| 150 | 0,25 | 27,52 |






Cralusso lines = Cralusso quality!



Infinity

2071



NEW

| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 500 | 0,20 | 5,1 |
| 500 | 0,22 | 6,5 |
| 500 | 0,25 | 8,2 |
| 500 | 0,30 | 11,2 |

LONG & STRONG
CASTING

2075



NEW



| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 200 | 0,32–0,18 | 10,9–3,5 |
| 200 | 0,35–0,20 | 13,4–4,4 |
| 200 | 0,40–0,22 | 16,0–5,7 |

XTREME


2080

braid hooklength line

NEW



| Length (m) | Diameter (mm) | Breaking Strain (kg) |
|------------|---------------|----------------------|
| 15 | 0,08 | 3,8 |
| 15 | 0,10 | 5,1 |
| 15 | 0,12 | 6,3 |
| 15 | 0,14 | 7,6 |
| 15 | 0,16 | 9,5 |



Hooks

Sode Light

2401

NEW

Flattened – Forged – Round



18 16 14 12 10 8



| Size | Weight (gr) | Pcs/bag |
|------|-------------|---------|
| 18 | 0,004 | 14 db |
| 16 | 0,005 | 14 db |
| 14 | 0,008 | 16 db |
| 12 | 0,012 | 16 db |
| 10 | 0,017 | 16 db |
| 8 | 0,029 | 16 db |

Chika

2405

NEW

Flattened – Round



18 16 14 12 10 8



| Size | Weight (gr) | Pcs/bag |
|------|-------------|---------|
| 18 | 0,005 | 16 db |
| 16 | 0,008 | 16 db |
| 14 | 0,014 | 16 db |
| 12 | 0,018 | 14 db |
| 10 | 0,024 | 14 db |
| 8 | 0,029 | 14 db |

Koaji Round

2410

NEW

Flattened – Round



16 14 12 10 8



| Size | Weight (gr) | Pcs/bag |
|------|-------------|---------|
| 16- | 0,009 | 16 db |
| 14- | 0,016 | 16 db |
| 12- | 0,023 | 14 db |
| 10- | 0,036 | 14 db |
| 8- | 0,049 | 14 db |

Shin Aji

2415

NEW

Flattened – Large Forged



11 9 7 5



| Size | Weight (gr) | Pcs/bag |
|------|-------------|---------|
| 11- | 0,045 | 11 db |
| 9- | 0,066 | 10 db |
| 7- | 0,094 | 9 db |
| 5- | 0,14 | 8 db |


Hooks

Umi Tango

2420

NEW

Flatted – Forged



16

14

12

10

8

6



| Size | Weight (gr) | Pcs/bag |
|------|-------------|---------|
| 16- | 0,014 | 12 db |
| 14- | 0,024 | 12 db |
| 12- | 0,034 | 12 db |
| 10- | 0,051 | 12 db |
| 8- | 0,083 | 11 db |
| 6- | 0,103 | 10 db |

SB Chinu

2430

NEW

Double (one normal and one micro) edge point
– Flatted – Forged and Curved

10

8

6

4

2



| Size | Weight (gr) | Pcs/bag |
|------|-------------|---------|
| 10- | 0,049 | 10 db |
| 8- | 0,061 | 10 db |
| 6- | 0,077 | 9 db |
| 4- | 0,134 | 9 db |
| 2- | 0,2 | 7 db |

Delta Chinu

2435

NEW

Triple edge point – Trust Grip – Forged and Curved



10

8

6

4

2

| Size | Weight (gr) | Pcs/bag |
|------|-------------|---------|
| 10- | 0,048 | 8 db |
| 8- | 0,07 | 8 db |
| 6- | 0,084 | 8 db |
| 4- | 0,137 | 7 db |
| 2- | 0,198 | 6 db |

Accurate and fine laser carving on the end to prevent from the line come-off, trust cutting to restrain the line-moving.



This hook is developed by latest technology, cutting the needle point by three different degree with unique edge form.





Quality swivels and accessories at a reasonable price!

Golden swivel

Exclusive Design



2110



| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 3 | 40 kg | 0,41 gr | 10 db |
| 5 | 32 kg | 0,25 gr | 12 db |
| 7 | 22 kg | 0,13 gr | 12 db |
| 10 | 14 kg | 0,07 gr | 12 db |
| 14 | 4 kg | 0,04 gr | 12 db |

Rhombus swivel



2111



| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 5 | 27 kg | 0,25 gr | 12 db |
| 7 | 19 kg | 0,13 gr | 12 db |
| 10 | 9 kg | 0,07 gr | 12 db |
| 14 | 4 kg | 0,04 gr | 12 db |

Double swivel



2112




| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 5 | 32 kg | 0,44 gr | 12 db |
| 7 | 22 kg | 0,25 gr | 12 db |
| 10 | 14 kg | 0,13 gr | 12 db |
| 14 | 4 kg | 0,06 gr | 12 db |

Triple speed swivel



2113




| Size | Test | Weight | Pcs/bag |
|------|-------|----------|---------|
| 7 | 22 kg | 0,23 gr | 12 db |
| 10 | 14 kg | 0,112 gr | 12 db |
| 14 | 4 kg | 0,062 gr | 12 db |

Triple chain swivel



2114



| Size | Test | Weight | Pcs/bag |
|------|-------|----------|---------|
| 7 | 22 kg | 0,23 gr | 12 db |
| 10 | 14 kg | 0,112 gr | 12 db |
| 14 | 4 kg | 0,062 gr | 12 db |

Swivel & safety snap



2115



| Size | Test | Weight | Pcs/bag |
|------|------|---------|---------|
| 5 | 9 kg | 0,40 gr | 12 db |
| 7 | 7 kg | 0,23 gr | 12 db |
| 10 | 5 kg | 0,14 gr | 12 db |
| 14 | 3 kg | 0,10 gr | 12 db |

Crane swivel with interlock snap



2116



| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 2 | 18 kg | 0,52 gr | 10 db |
| 4 | 14 kg | 0,38 gr | 12 db |
| 6 | 12 kg | 0,26 gr | 12 db |
| 8 | 10 kg | 0,16 gr | 12 db |
| 10 | 9 kg | 0,12 gr | 12 db |

Swivel with hooked snap



2117



| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 4 | 70 kg | 2,05 gr | 12 db |
| 7 | 20 kg | 0,25 gr | 12 db |
| 10 | 12 kg | 0,13 gr | 12 db |
| 14 | 4 kg | 0,06 gr | 12 db |

Quality swivels and accessories at a reasonable price!



Ball bearing swivel with snap



2118



| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 0 | 12 kg | 0,32 gr | 6 db |
| 1 | 18 kg | 0,52 gr | 6 db |
| 2 | 25 kg | 0,76 gr | 6 db |
| 4 | 35 kg | 1,60 gr | 6 db |

Swing coastlock snap



2119



| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 6 | 30 kg | 0,32 gr | 12 db |
| 8 | 19 kg | 0,20 gr | 12 db |
| 10 | 14 kg | 0,12 gr | 12 db |
| 12 | 9 kg | 0,08 gr | 12 db |

Side-line rolling swivel




2120



| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 2 | 43 kg | 0,88 gr | 6 db |
| 4 | 35 kg | 0,56 gr | 6 db |
| 6 | 30 kg | 0,32 gr | 6 db |
| 8 | 19 kg | 0,18 gr | 6 db |

Corner plate swivel



2121

| Size | Weight | Pcs/bag |
|------|---------|---------|
| 6 | 1,3 gr | 3 db |
| 8 | 0,94 gr | 3 db |
| 10 | 0,57 gr | 3 db |

Brass Head Safety Snap



2122



| Size | Weight | Pcs/bag |
|------|---------|---------|
| S | 0,17 gr | 6 db |
| M | 0,26 gr | 6 db |

Plastic head swivel with interlock snap **2123**



| Size | Weight | Pcs/bag |
|------|---------|---------|
| S | 0,15 gr | 6 db |
| M | 0,23 gr | 6 db |


Hooked snap



2125



| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 00 | 9 kg | 0,03 gr | 12 db |
| 0 | 12 kg | 0,04 gr | 12 db |
| 1 | 20 kg | 0,08 gr | 12 db |
| 2 | 28 kg | 0,13 gr | 12 db |
| 3 | 35 kg | 0,20 gr | 12 db |



Quality swivels and accessories at a reasonable price!

Mixed swivel

2126-mix

Practical packing of three basic types with 4 sizes



Rolling swivel with nice snap



2127

Quick snap with fixing tube



2128

| Size | Pcs/bag |
|------|---------|
| 6 | 6 pcs |
| 8 | 6 pcs |

Swivel with pearl beads and rubber stopper

2129



| Size | Pcs/bag |
|------|---------|
| M | 2x4 pcs |

Match Quick snap

2132



| Size | Pcs/bag |
|------|---------|
| 12 | 6 pcs |
| 14 | 6 pcs |

Swivel with side line clip

2135



NEW

Soft beads

2140 1x2mm 8 pcs

NEW

2141 1,2x6mm 8 pcs



| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 4/0 | 70 kg | 2,05 gr | 4 pcs |
| 2/0 | 44 kg | 1,45 gr | 6 pcs |
| 1 | 38 kg | 0,92 gr | 10 pcs |
| 3 | 33 kg | 0,68 gr | 12 pcs |
| 5 | 27 kg | 0,44 gr | 12 pcs |
| 7 | 20 kg | 0,27 gr | 12 pcs |
| 10 | 12 kg | 0,13 gr | 12 pcs |

Safety lead snap kit



2130

2x6 pcs/bag



Slipping feeder fixing set

2131



| Size | Test | Weight | Pcs/bag |
|------|-------|---------|---------|
| 6 | 22 kg | 0,32 gr | 12 pcs |
| 8 | 14 kg | 0,20 gr | 12 pcs |
| 10 | 9 kg | 0,12 gr | 12 pcs |
| 12 | 4 kg | 0,08 gr | 12 pcs |

Maggot clips

2145

11x14x0,5 mm


NEW

6 pcs/bag



Distance holders, Fixing wedges

Fixing Wedge




2201

NEW

(M) (L)

1 pcs/bag




Distance Holder T-stop




2202

NEW

4 pcs/bag




Full stop arrester



2203

NEW

1 pcs/bag



Rotaiting T Distance holder




2204

NEW


2-2 pcs/bag

(L)

(M)



T Distance holder




2205

NEW

(L) 4 pcs/bag

5 pcs/bag (M)



Feeder Basket

Flat Feeder Basket




3005

Flat/spring feeder basket with anti tangle tube



3006

Square feeder basket with 8 lines square 3010



Wire feeder basket with 5 lines round 3011



Wire feeder basket with 5 lines square 3012



| Code | Weight | Pcs/bag |
|----------|--------|---------|
| 3005-20 | 20 gr | 10 pcs |
| 3005-30 | 30 gr | 10 pcs |
| 3005-50 | 50 gr | 10 pcs |
| 3005-70 | 70 gr | 10 pcs |
| 3005-100 | 100 gr | 10 pcs |

| Code | Weight | Pcs/bag |
|----------|--------|---------|
| 3006-14 | 14 gr | 10 pcs |
| 3006-20 | 20 gr | 10 pcs |
| 3006-30 | 30 gr | 10 pcs |
| 3006-50 | 50 gr | 10 pcs |
| 3006-70 | 70 gr | 10 pcs |
| 3006-100 | 100 gr | 10 pcs |


| Code | Weight | Pcs/bag |
|---------|--------|---------|
| 3010-10 | 10 gr | 10 pcs |
| 3010-15 | 15 gr | 10 pcs |
| 3010-20 | 20 gr | 10 pcs |
| 3010-25 | 25 gr | 10 pcs |
| 3010-30 | 30 gr | 10 pcs |
| 3010-40 | 40 gr | 10 pcs |
| 3010-50 | 50 gr | 10 pcs |
| 3010-60 | 60 gr | 10 pcs |
| 3010-70 | 70 gr | 10 pcs |

| Code | Weight | Pcs/bag |
|---------|--------|---------|
| 3011-5 | 5 gr | 10 pcs |
| 3011-10 | 10 gr | 10 pcs |
| 3011-15 | 15 gr | 10 pcs |
| 3011-20 | 20 gr | 10 pcs |
| 3011-25 | 25 gr | 10 pcs |
| 3011-30 | 30 gr | 10 pcs |

| Code | Weight | Pcs/bag |
|---------|--------|---------|
| 3012-5 | 5 gr | 10 pcs |
| 3012-10 | 10 gr | 10 pcs |
| 3012-15 | 15 gr | 10 pcs |
| 3012-20 | 20 gr | 10 pcs |
| 3012-25 | 25 gr | 10 pcs |
| 3012-30 | 30 gr | 10 pcs |

Feeder Basket

Pellet feeder basket



3018

NEW

| Code | Weight | Pcs/bag |
|---------|--------|---------|
| 3018-25 | 25 gr | 2 pcs |
| 3018-35 | 55 gr | 2 pcs |
| 3018-45 | 45 gr | 2 pcs |

Rocket feeder basket



3019

NEW

| Code | Weight | Pcs/bag |
|---------|--------|---------|
| 3019-15 | 15 gr | 2 pcs |
| 3019-25 | 25 gr | 2 pcs |
| 3019-35 | 35 gr | 2 pcs |
| 3019-50 | 50 gr | 2 pcs |
| 3019-70 | 70 gr | 2 pcs |

Ribbed feeding basket with anti tangle tube



3014

| Code | Weight | Pcs/bag |
|---------|--------|---------|
| 3014-10 | 10 gr | 10 pcs |
| 3014-15 | 15 gr | 10 pcs |
| 3014-20 | 20 gr | 10 pcs |
| 3014-25 | 25 gr | 10 pcs |
| 3014-30 | 30 gr | 10 pcs |
| 3014-35 | 35 gr | 10 pcs |
| 3014-45 | 45 gr | 10 pcs |
| 3014-60 | 60 gr | 10 pcs |

Inline ribbed feeder basket



3015

| Code | Weight | Pcs/bag |
|----------|--------|---------|
| 3015-25 | 25 gr | 10 pcs |
| 3015-35 | 35 gr | 10 pcs |
| 3015-45 | 45 gr | 10 pcs |
| 3015-60 | 60 gr | 10 pcs |
| 3015-80 | 80 gr | 10 pcs |
| 3015-100 | 100 gr | 10 pcs |

Anti tangle tube with strong end



3101

| Code | Size | Pcs/bag |
|----------|--------|---------|
| 3101-30 | 30 mm | 3 pcs |
| 3101-55 | 55 mm | 3 pcs |
| 3101-85 | 85 mm | 3 pcs |
| 3101-120 | 120 mm | 3 pcs |

Anti tangle tube with hooked snap



3102

| Code | Size | Pcs/bag |
|----------|--------|---------|
| 3102-80 | 80 mm | 3 pcs |
| 3102-120 | 120 mm | 3 pcs |
| 3102-180 | 180 mm | 3 pcs |

Globular weight with central hole,
precise cut and protector tube



The quality manufacture and tube makes it
possible to fix perfectly centrally and without
causing damage

Olive weights with silicone,- two functions
in one lead

If the line is threaded
through the tube,
the olivette can
be used
as a sliding
weight.



If fixed to the line by
silicon tubes,
then it can be
used as
changeable
weight.



| Code | Weight | Pcs/bag |
|----------|---------|---------|
| 3001-1 | 1,0 gr | 5 pcs |
| 3001-1,5 | 1,5 gr | 5 pcs |
| 3001-2 | 2,0 gr | 5 pcs |
| 3001-2,5 | 2,5 gr | 5 pcs |
| 3001-3 | 3,0 gr | 5 pcs |
| 3001-4 | 4,0 gr | 5 pcs |
| 3001-5 | 5,0 gr | 5 pcs |
| 3001-6 | 6,0 gr | 5 pcs |
| 3001-7 | 7,0 gr | 5 pcs |
| 3001-8 | 8,0 gr | 5 pcs |
| 3001-10 | 10,0 gr | 4 pcs |
| 3001-12 | 12,0 gr | 4 pcs |
| 3001-15 | 15,0 gr | 4 pcs |
| 3001-18 | 18,0 gr | 3 pcs |
| 3001-20 | 20,0 gr | 3 pcs |
| 3001-25 | 25,0 gr | 2 pcs |
| 3001-30 | 30,0 gr | 2 pcs |
| 3001-mix | Mixed | 5 pcs |

| Code | Weight | Pcs/bag |
|----------|--------|---------|
| 3002-1 | 1,0 gr | 5 pcs |
| 3002-1,5 | 1,5 gr | 5 pcs |
| 3002-2 | 2,0 gr | 5 pcs |
| 3002-2,5 | 2,5 gr | 5 pcs |
| 3002-3 | 3,0 gr | 5 pcs |
| 3002-4 | 4,0 gr | 5 pcs |
| 3002-5 | 5,0 gr | 5 pcs |
| 3002-6 | 6,0 gr | 5 pcs |
| 3002-7 | 7,0 gr | 5 pcs |
| 3002-8 | 8,0 gr | 5 pcs |
| 3002-mix | Mixed | 5 pcs |

| Weight | Pcs/bag |
|----------------|---------|
| 0,5 gr | 10 pcs |
| 1,0 gr | 7 pcs |
| 1,5 gr | 6 pcs |
| 2,0 gr | 5 pcs |
| 3,0 gr | 4 pcs |
| 4,0 gr | 3 pcs |
| 5,0 gr | 2 pcs |
| 6,0 gr | 2 pcs |
| 0,5-1-2-3-4 gr | 5 pcs |

Environment friendly
Weights without lead

3041 / 3042-mix



3051 / 3052-mix



3061 / 3062-mix



Torillo

3021



Olive weight with plastic tube

3004



| Code | Weight | Pcs/bag |
|-----------|---------|---------|
| 3004-1 | 1,0 gr | 6 pcs |
| 3004-1,25 | 1,25 gr | 6 pcs |
| 3004-1,5 | 1,5 gr | 6 pcs |
| 3004-2 | 2,0 gr | 5 pcs |
| 3004-2,5 | 2,5 gr | 5 pcs |
| 3004-3 | 3,0 gr | 5 pcs |
| 3004-4 | 4,0 gr | 5 pcs |
| 3004-5 | 5,0 gr | 4 pcs |
| 3004-6 | 6,0 gr | 4 pcs |
| 3004-7 | 7,0 gr | 4 pcs |
| 3004-8 | 8,0 gr | 3 pcs |
| 3004-10 | 10,0 gr | 3 pcs |

Sounding weight

3003



| Code | Weight | Pcs/bag |
|---------|---------|---------|
| 3003-5 | 5,0 gr | 5 pcs |
| 3003-10 | 10,0 gr | 4 pcs |
| 3003-15 | 15,0 gr | 4 pcs |
| 3003-20 | 20,0 gr | 3 pcs |
| 3003-35 | 35,0 gr | 2 pcs |

T-shirt



Code: 4001

Code: 4002

Royal blue and white, Cralusso logo is in front and back, hard-wearing and fine material.

Cralusso caps:
Softish material,
adjustable size,
hard wearing,
embroidered in front.

Code: 4003



Code: 4005



Code: 4004

Code: 4006



Fleece sweater embroidered on both sides

Code: 4020

Size:

M - L - XL - XXL





Innovative Fishing Floats

Králik & Tsa. Kkt.
H-2600 Vác Naszály u.2.
Phone/fax:+36/27-304-327
e-mail:cralusso@cralusso.com

www.cralusso.com